


KWTOOLS

Pipeworking machines and tools





RGRO Portable groover M

- Compact, lightweight
- Minimum effort
- Easy to install on every threading machine

Manual grooving device				
KW nr.	Type	Ø Cap. mm	kg	Price
854500616	RGRO	1-6" Sched. 10 1-3" Sched. 40	12	€ 1.080

Size: L200xW220xH260 mm

Standard offer inclusive roller set 2-6", without motor base please order the mounting base for your threading machine.

NPG150M Grooving machine

- Compact, lightweight
- Minimum effort
- Easy operating

Manuelle Rollnutmaschine					
KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500751	NPG150M	1-6" Sched. 10 1-3" Sched. 40	700W 39RPM	49	€ 3.530

Size: L200xW440xH450 mm

Standard offer includes rollers 2-6".

RGRH Portable groover H

- Large capacity 16"
- Compact, lightweight
- Easy operating due to guiding roller

Hydraulic grooving device				
KW nr.	Type	Ø Cap. mm	kg	Price
854500673	RGRH	1-16" Sched. 10 Fe 1-12" Sched. 40 Fe. 2-3" Sched. 5-10 Inox 4-6" Sched. 5-10 Inox	35,8	€ 4.460

Size: L478xW272xH385 mm

Standard includes roller set 2-6" without mountbase, please order a mountbase with your threading machine.

NPG150H Grooving machine

- Large capacity 16"
- Compact and light
- Easy operation due to guide roller
- Easy to use

Hydraulische Rollnutmaschine					
KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500754	RGRO	1-16" sched. 10 Fe 1-12" sched. 40 Fe 1-6" sched. 10 Inox	700W 39rpm	85	€ 6.540

Size: L700xW478xH650 mm

Standard offer inclusive rollerset 2-6 valid as long as stock. 04-2022



RG150ADX Grooving machine

- Automatic electric hydraulic pump
- Large capacity 16"
- Compact and lightweight
- Includes guiding roller
- Control lamp when complete
- Self centering head

Automatic hydraulic grooving machine

KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500766	RG150A	1-16" sched. 10 Fe 1-8" sched. 40 Fe 1-6" sched.5-10Inox	700W 49RPM	85	€ 10.520

Size: L490xW685xH625 mm

Standard offer inclusive of rollerset 2-6".



GM1 stationary grooving machine


- Stationary automatic hydraulic roll grooving machine
- Large capacity 16"
- Including guiding roller
- Self centering head
- Automatic shutdown, PLC controlled

Production roll groove machines




KW nr.	Type	Ø Cap. mm	Motor	kg	Price
171100002	GM1	1-16" sched. 10 Fe 1-8" sched. 40 Fe 1-6" sched.5-10 Inox	700W 39RPM	150	Upon Request

Size: L700xW478xH650 mm

Standard offer inclusive of rollerset 2-6".



Self centering



Manual



NVP auto



Super auto



Profiling



Roll thread



27mm dies



38mm dies



20mm dies



NP50AV threading machine

- Compact and light
- Powerful, high output
- Right / Left rotation
- Adjustable thread depth and length
- Simple operating

NP50AV threading machine

KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500019	NP50AV	BSPT/NPT 2" MM52, WW1.1/4" UNC2"	700W 39RPM	48	€ 2.985

Size: L700xW440xH408 mm

Standard type includes: NVP-Auto diehead 1/2-2" (nr.293106), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), reamer, cutt of device, foot switch, legset.



NR50AV Threading machine

- Compact and light
- Powerful, high output
- Right / Left rotation
- Cutting heads & threading dies, exchangeable with Ridgid.

NR50AV Threading machine

KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500022	NR50AV	BSPT/NPT 2" MM52, WW1.1/4" UNC2"	600W 39RPM	48	€ 3.175

Size: L700xW440xH408 mm

Standard type with: NVR-Auto diehead 1/2-2" (nr.293102), Ridge type Alloy dies 1/2x3/4"BSPT (nr.292851), Ridge type Alloy dies 1x2"BSPT(nr.292853), reamer, Cutt of device, Foot switch, Legset.



NP80AV Threading machine

- Powerfull, efficient
- Right / Left rotation
- Automatic stop at carbon brush end
- Simple operating
- Adjustable thread depth and length

NP80AV Threading machine

KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500034	NP80AV	BSPT/NPT 3" MM52, WW1.1/4" UNC2"	600W 39RPM	67	€ 4.705

Size: L700xW440xH408 mm

Standard type with: NVP-Auto diehead 1/2-2" (nr.293106), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), reamer, cutt of device, foot switch, legset.



N100A Threading machine

- Powerfull, efficient
- Quit condenser motor
- Adjustable 3speeds 13/24/43 RPM
- Original profiling system
- Adjustable threading depth and lenght

N100A Threading machine

KW nr.	Type	Ø Cap. mm	Motor	kg	Price
854500037	N100A	BSPT/NPT 4" MM52, WW1.1/4" UNC2"	750W 43/24/13 RPM	123	€ 8.100

Size: L873xW635xH558 mm

Standard type with: NVP-Auto diehead 1/2-2" (nr.293106), Manual die-head 2.1/2-3" (nr.292911), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), reamer, Cutt of device, Foot switch, Legset.

MC355 Pipe cutting machine

- Motor protection
- Motor stop
- Chip bin
- Stable - low vibration
- Powerfull motor 1Ph
- Dry cutting

MC355 Dry cutting

KW nr.	Type	Ø Cap.	Sawblade	Motor	kg	Price
253200001	MC355	90° Ø130mm 45° Ø105mm	Ø355x25,4	2,2kW 1.300 RPM	26	€ 995

Sawblade Ø355x25,4 72T (nr. 853300012)

Sawblade Ø355x25,4 80T (nr. 853300013)

Sawblade Ø355x25,4 90T (nr. 853300016)

XB125 / XB120A Bandsaw

- Automatic feed
- Easy transport
- Simple change of saw blade
- Motor protection
- Low noise
- Dry cutting

XB Semi automatische Montagebandsäge 4"

KW nr.	Type	Ø Cap.	Motor	kg	Price
854501228	XB125	90° Ø125mm	0,2kW 40 RPM	33	€ 1.555
854501231	XB120A	90° Ø125mm 45° Ø50mm	0,2kW 40 RPM	35	€ 1.710

Sawblade 1430(L)x13(W)x0.65(T) mm

M42 Bi-Metal 8/12T (nr. 735143018)

M42 Bi-Metal 10/14T (nr. 735143021)

M42 Bi-Metal 14/18T (nr. 735143026)

XB180WS/WA Bandsaw

- Automatic feed
- Easy transport
- Simple change of saw blade
- Motor protection
- Low noise
- Dry cutting

XB Semi automatic assembly band saw 6"

KW nr.	Type	Ø Cap.	Motor	kg	Price
854501240	XB180WS chain vice	90° Ø180mm	0,25kW 37 RPM	33	€ 2.575
854501243	XB180A flat vice	90° Ø130mm 45° Ø105mm	0,25kW 37 RPM	35	€ 2.755

sawblade 1.625(L)x13(W)x0.65(T) mm

M42 Bi-Metal 8/12T (nr. 735162518)

M42 Bi-Metal 10/14T (nr. 735162521)

M42 Bi-Metal 14/18T (nr. 735162523)

SSU4D pipe drilling machine

- Safe and fast drilling of holes in steel pipes
- Max holesaw Ø 105 mm
- For max 10" pipes
- With leveling device and centerpoint

SSU4D Pipe drilling machine

KW nr.	Type	Ø Cap.	Motor	kg	Price
852700002	SSU4D	105 mm	720W	7	€ 1.565
852700004	SSU4D No motor	-	-	4	€ 1.005





WISENT Pipe benders 90° with roller							
	for thin-walled Hvac pipes						
Capacity Ø mm	10 mm	12 mm	15 mm	18 mm	20 mm	22 mm	28 mm
Bending radius Ø mm	43 mm	43 mm	60 mm	74 mm	87 mm	87 mm	95 mm
Length	460 mm	460 mm	600 mm	860 mm	900 mm	900 mm	1050 mm
Weight	1,40 kg	1,50 kg	2,30 kg	3,20 kg	4,30 kg	4,50 kg	5,70 kg
KW Nr.	115200004	115200013	115200022	115200034	115200043	115200049	115200067*
Price	€ 49,20	€ 50,15	€ 60,75	€ 95,40	€ 106,90	€ 95,40	€ 144,50

* with two rollers



WISENT tube bender 90° with roller		
	for thin-walled Hvac pipes	
	12 mm	15 mm
	30 mm	45 mm
	440 mm	600 mm
	1,50 kg	2,20 kg
	115200079	115200088
	€ 57,85	€ 76,65



WISENT Tubebender 90° with slide block							
	Suitable for copper pipes						
Capacity Ø mm	10 mm	12 mm	15 mm	18 mm	20 mm	22 mm	28 mm
Bending radius Ø mm	43 mm	43 mm	60 mm	74 mm	87 mm	87 mm	95 mm
Length	460 mm	460 mm	600 mm	860 mm	900 mm	900 mm	1050 mm
Weight	1,40 kg	1,50 kg	2,30 kg	3,20 kg	4,30 kg	4,50 kg	5,70 kg
KW Nr.	115200007*	115200010*	115200019*	115200031	11500040	115200046	115200064
Price	€ 49,20	€ 50,15	€ 60,75	€ 95,40	€ 106,9	€ 95,40	€ 144,50

*10 suitable for WICU pipe

Ø 6 mm (10/6)

*12 mm 12 mm suitable for WICU

pipe Ø 8 mm (10/6)

*15 mm suitable for

WICU pipe Ø 12 mm



WISENT Tubebender 90° with slide block			
	Suitable for copper pipes		
	10 mm	12 mm	15 mm
	30 mm	30 mm	45 mm
	440 mm	440 mm	600 mm
	1,30 kg	1,60 kg	2,40 kg
	115200070	115200076	115200091
	€ 57,85	€ 57,85	€ 76,65



WISENT bender 90° with side block standard radius						
	Suitable for WICU pipes					
	* Large with WICU sheathing/large pipes					
Capacity Ø mm	14 / 10	16 / 12	19 / 15	23 / 18	26 / 22	27 / 22
Bending radius Ø mm	60 mm	60 mm	75 mm	87 mm	95 mm	95 mm
Length	580 mm	600 mm	830 mm	830 mm	960 mm	980 mm
Weight	2,20 kg	2,20 kg	4,10 kg	6,90 kg	6,90 kg	6,90 kg
KW Nr.	115200016	115200025	115200037	115200052	115200055*	115200058
Price	€ 70,80	€ 95,40	€ 106,90	€ 106,90	€ 150,30	€ 184,40

*Suitable for imitation WICU pipe



WISENT bender 90° with side block standard radius	
	Suitable for thin walled hvac pipes
	15 mm
	30 mm
	600 mm
	2,20 kg
	115200085
	€ 70,80



WISENT bender 90° with roller						
	Suitable for multilayer pipes, short length					
Capacity Ø mm	14 mm	16 mm	18 mm	20 mm	25 mm	32 mm
Bending radius Ø mm	43 mm	43 mm	51 mm	62 mm	74 mm	108 mm
Length	300 mm	330 mm	450 mm	450 mm	470 mm	620 mm
Weight	1,40 kg	1,40 kg	1,70 kg	2,00 kg	2,00 kg	3,70 kg
KW Nr.	115200103	115200106	115200109	115200112	115200115	115200118
Price	€ 64,25	€ 64,25	€ 75,00	€ 82,85	€ 93,40	€ 130,65



WISENT bender 90° with roller	
	Suitable for copper and thin walled Hvac pipes
	10 mm
	30 mm
	240 mm
	0,60 kg
	115200001
	€ 59,40



€37,-

Water pump plier set WS07+WS10+WS12
KW nr. 852400178

€67,-

Pipe plier set WS10 + SPC1+SPC1,5
KW nr. 852400175



SPC2

SPC Corner Pipe Wrench S-Mouth					
KW nr.	Type	Øcap	Length	Weight	Price
852400154	SPC1	1"	340 mm	0.8 kg	€ 22,75
852400157	SPC1.5	1.1/2"	430 mm	1.3 kg	€ 33,25
852400160	SPC2	2"	560 mm	2.3 kg	€ 51,20
852400163	SPC3	3"	630 mm	3.1 kg	€ 95,25



WS10

WSwater pump pliers					
KW nr.	Type	Øcap	Length	Weight	Price
852400166	WS07	10-24	175 mm	0.17 kg	€ 9,60
852400169	WS10	10-36	250 mm	0.28 kg	€ 12,20
852400172	WS12	10-48	300 mm	0.46 kg	€ 16,00



Victor plastic tube cutter Suitable for almost all PVC, rubber vinyl hoses and tubes up to Ø38 mm that do not contain steel

Plastic hose/pipe cutter		
Type	VC28	Spare knife
Capacity Ø mm	38	-
Length	215	85
Weight	0,17 kg	0,05 kg
Article number	855600073	855600076
price	€ 28,60	€ 7,85



Executed with HSS cutting wheels type Z1906U With 4 rollers Complete with deburrer. Suitable for copper, steel, stainless steel and aluminum

Universal pipe cutters		
Type	335U	345U
Capacity Ø mm	3 - 35	3 - 45
Wall thickness ± mm	4	4
Weight	0,57 kg	0,63 kg
Article number	855900012	855900014
price	€ 35,10,=	€ 39,60,=



REX Bearing Pulleys and Guide Rollers Type of cutting wheels Z1906U Cuts very light Suitable for steel and stainless steel

Ball bearing pipe cutter			
Type	N30S	N42S	RB67S
Capacity Ø mm	4 - 32	6 - 43	6 - 70
Wall thickness ± mm	4	4	4
Weight	0,35 kg	0,44 kg	1,05 kg
Article number	854500928	854500931	854500934
price	€ 74,=	€ 93,=	€ 140,=




Suitable for copper, steel, stainless steel and aluminum With built-in ratchet mechanism Automatic feed Cuts very lightly

Ratchet pipe cutter		
Type	PCR-35	PCR-66
Capacity Ø mm	16 - 35	35 - 66
Wall thickness ± mm	4	4
Weight	0,96	1,65
Article number	851900013	851900016
price	€ 321, =	€ 378, =



switchable ratchet with 2-way wrench sizes and centering point

RN pointed ratchet wrenches					
Type	Article number	Length	Weight	Capacity Ø mm	price
RN1013	854900004	225	0,16 kg	10 x 13	€ 39,40
RN1317	854900013	265	0,24 kg	13 x 17	€ 41,30
RN1719	854900025	310	0,40 kg	17 x 19	€ 46,00
RN1721	854900028	310	0,40 kg	17 x 21	€ 46,00
RN1922	854900040	310	0,43 kg	19 x 22	€ 52,85
RN1924	854900043	355	0,68 kg	19 x 24	€ 52,85
RN2430	854900070	400	1,08 kg	24 x 30	€ 66,30
RN2730	854900076	400	1,08 kg	27 x 30	€ 70,00
RN2732	854900079	400	1,08 kg	27 x 32	€ 70,00
RN3032	854900082	400	1,08 kg	30 x 32	€ 73,65
RN3036	854900085	455	1,40 kg	30 x 36	€ 80,10





Punching Machines



Milling Machines



Sawing Machines



Drilling Machines



Pipe Cutters



Installation tools



Grooved fittings and couplings



Welding outlets



Pipe Clamps




Accessories



Threading Machines



Grooving Machines



KW TOOLS B.V.
Van Utrechtweg 18
2921LN Krimpen a/d IJssel
The Netherlands

Phone: +31 (0)180 - 519 091
Url: <http://www.kwtools.com>
E-mail: info@kwtools.com

Dealer: