

KW TOOLS

MACHINES & TOOLS FOR PROFESSIONALS

SALES MAGAZINE 2026

REX

FP80AV

- Compact and lightweight
- Easy to operate
- Adjustable cutting depth and length
- Built-in oil reservoir
- Adjustable automatic oil feed
- Rotates clockwise and counterclockwise
- Threading heads and dies interchangeable
- with other REX machines
- Auto stop carbon brushes
- Foot switch

Price

€ 4.995

NEW
TYPE



REX



FP50AV THREADING MACHINE 2"

- Compact and light
- Powerful, high output
- Right / Left rotation
- Adjustable thread depth and length
- Simple operating

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500021	BSPT/NPT 2" MM52, WW1.1/4" UNC2"	700W 39RPM	55	€ 2.950,-

Size: L700 x W440 x H408 mm

Standard type includes:

NVP-Auto diehead 1/2 - 2" (nr.293106), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), reamer, cutter, foot switch, legset.

Additional accessory: Foldable Machine cart (nr. 854500526): € 689,-

REX



FR50AV THREADING MACHINE 2"

- Compact and light
- Powerful, high output
- Right / Left rotation
- Cutting heads & threading dies, exchangeable with Ridgid
- Simple operating

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500024	BSPT/NPT 2" MM52, WW1.1/4" UNC2"	700W 39RPM	55	€ 3.100,-

Size: L700 x W440 x H408 mm

Standard type includes:

NVR-Auto diehead 1/2 - 2" (nr.293102), Ridgid type Alloy dies 1/2x3/4" BSPT (nr.292851), Ridgid type Alloy dies 1x2" BSPT (nr.292853), reamer, cutter, Foot switch, Legset.

Additional accessory: Foldable Machine cart (nr. 854500526): € 689,-

REX



NP80AV THREADING MACHINE 3"

- Powerful, efficient
- Right / Left rotation
- Automatic stop at carbon brush end
- Adjustable thread depth and length
- Simple operating

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500034	BSPT/NPT 3" MM52, WW1.1/4" UNC2"	700W 29RPM	67	€ 4.380,-

Size: L700 x W440 x H408 mm

Standard type includes:

Manual diehead 2.1/2 - 3" (nr.292911) NVP-Auto diehead 1/2 - 2" (nr.292814), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), Alloy dies 2.1/2 - 3" BSPT (nr.291704), reamer, cutter, foot switch, legset.

REX



N100A THREADING MACHINE 4"

- Powerful, efficient
- Quiet condenser motor
- Adjustable 3 speeds 13/24/43 RPM
- Original profiling system
- Adjustable threading depth and length

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500037	BSPT/NPT 4" MM52, WW1.1/4" UNC2"	750W 43/24/13RPM	127	€ 8.325,-


Size: L873 x W635 x H558 mm

Standard type includes:

NVP-Auto diehead 1/2 - 2" (nr.293106), Profiling diehead 2.1/2 - 4" (nr.293505), Alloy dies 1/2x3/4" BSPT (nr.291703), Alloy dies 1x2" BSPT (nr.291707), Alloy dies 2.1/2 - 4", reamer, cutter, foot switch, legset.

Additional accessory: Foldable Machine cart (nr. 854500520): € 827,-

REX



RGRO PORTABLE GROOVER M + MOUNTBASE

- Compact, lightweight
- Minimum effort
- Easy to install on every threading machine with right mountbase

Art.nr.	Ø Cap. mm	Kg	Price
854500616	1 - 6" Sched. 10 / 1-3" Sched. 40	14.5	€ 1.485,-

Size: L200 x W220 x H260 mm

Standard type includes roller set 2 - 6", with mountbase. Please order the mount base for your threading machine.

REX



NPG150M GROOVING MACHINE

- Compact, lightweight
- Minimum effort
- Easy operating

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500751	1 - 6" Sched. 10 / 1 - 3" Sched. 40	600W 40RPM	50.5	€ 3.195,-

Size: L200 x W440 x H450 mm

Standard type includes roller set 2 - 6".

REX



RGRH PORTABLE GROOVER H

- Large capacity 16"
- Compact, lightweight
- Easy operating due to guiding roller

Art.nr.	Ø Cap. mm	Kg	Price
854500673	1 - 16" Sched. 10 Fe / 1 - 12" Sched. 40 Fe. 2 - 3" Sched. 5 - 10 Inox / 4 - 6" Sched. 5 - 10 Inox	35.8	€ 4.660,-

Size: L478 x W272 x H385 mm

Standard type includes roller set 2 - 6" without mountbase, please order a mountbase with your threading machine.

REX



FPG150H GROOVING MACHINE

- Large capacity 16"
- Compact and lightweight
- Easy operation due to guide roller
- Easy to use

Art.nr.	Ø Cap. mm	Motor	Kg	Price
854500754	1 - 16" sched.10 Fe / 1 - 12" sched. 40 Fe 1 - 6" sched.10 Inox	600W 40rpm	85	€ 7.215,-

Size: L700 x W478 x H650 mm

Standard type inclusive roller set 2 - 6"



RG150ADX GROOVING MACHINE

- Automatic electric hydraulic pump
- Large capacity 16"
- Compact and lightweight
- Includes guiding roller
- Control lamp when complete
- Self centering head

Article number	Ø Cap. mm	Motor	Kg	Price
854500766	1 - 16" sched. 10 Fe 1 - 8" sched. 40 Fe 1 - 6" sched.5-10Inox	700W 29-59RPM	85	€ 10.590,-

Size: L490xW685xH625 mm

Standard type includes roller set 2 - 6".

Additional accessory: Foldable Machine cart (nr. 854500520): € 825,-



GM1 STATIONARY GROOVING MACHINE

- Large capacity 16"
- Includes guiding roller
- Self centering head
- 2 speeds
- Automatic shutdown, PLC controlled

Article number	Ø Cap. mm	Motor	Kg	Price
171100002	1 - 16" sched. 10 Fe 1 - 8" sched. 40 Fe 1 - 6" sched.5-10 Inox	700W 39RPM	150	Upon Request

Size: L700 x W478 x H650 mm

Standard type includes roller set 2 - 6".

We refer for other rollers to our KW Tools pricelist.



G-2X LIGHTWEIGHT COMBO ROLL GROOVER

1.1/4 - 4" sched. 40 and upto 12" sched. 10

- Manual roll grooving in-the-air
- Driven by a REX threading machine/300 power drive for shop/jobsite application
- Swap out shafts in 30 seconds!
- 1.1/4 - 4" schedule 10 until 40 pipe (Operate at slower speeds when grooving sch. 40 pipe);
- Use 2" - 6" optional shaft for better performance on schedule 40 pipe.

Article number	Ø Cap. mm	Kg	Price
8550101000	1.1/4 - 12" sched. 10 Fe 5 - 6" sched. 20 Fe 1.1/4 - 4" sched. 40 Fe 1.1/4-6" sched. Inox	12,5	€ 1.855,-

Standard equipment

Rollerset 1.1/4 - 6", rollerset 8 - 12", Shearing pins, Support arms, Ratchet 5/8", Drive bar adaptor (optional)



MC355 CIRCULAR SAW MACHINE

- Including TCT saw blade 72T
- Miter 45°
- Dry cutting without coolant or oil
- High speed range (1.300 RPM)
- With quick-vice

Art.nr.	Ø Cap. mm	Sawblade	Motor	Kg	Price
253200001	90° Ø130mm 45° Ø105mm	Ø355x25,4	2,2kW 1.300 RPM	26	€ 695,-

Sawblade Ø355 x 25,4 72T (nr. 6674355072) € 88,-
 Sawblade Ø355 x 25,4 80T (nr. 6674355080) € 93,-
 Sawblade Ø355 x 25,4 90T (nr. 6674355090) € 101,-
 Sawblade Ø355 x 25,4 100T (nr. 6674355100) € 104,-



XB180WS/WA BANDSAW MACHINE

- Automatic feed
- Easy transport
- Simple change of saw blade
- Motor protection
- Low noise
- Dry cutting

Art.nr.	Type	Ø Cap. mm	Motor	Kg	Price
854501240	XB180WS chain vice	90° Ø180mm	0,25kW 37 RPM	37	€ 2.765,-
854501243	XB180WA flat vice	90° Ø130mm 45° Ø105mm	0,25kW 37 RPM	44	€ 2.960,-

Sawblade 1.625(L) x 13(W) x 0.65(T) mm
 M42 Bi-Metal 8/12T (nr. 735162518) € 28,90
 M42 Bi-Metal 10/14T (nr. 735162521) € 28,90
 M42 Bi-Metal 14/18T (nr. 735162523) € 28,90



TWQ-III A PIPE CUTTING MACHINE

- Cold extrusion process design, no sparks, dust and metal chips during cutting
- Equipped with wheels for easy movement
- The patented oil pump is specially designed to shorten the idle stroke and reduce the working time

Art.nr.	Wall thickness	Ø Cap. mm	Motor	Kg	Price
855400142	10mm	2"-12" (Ø60°- Ø325) SCH40 steel pipe	23 RPM	143	€ 2.605,-

Standard type includes:
 Pipe support (855400115) and the Alloy Cutting Wheel (855400157).

Other types are also available on request.



SUJR.2S PIPE DRILLING MACHINE

- Safe and fast drilling of holes in steel pipes
- Max holesaw Ø 79 mm
- For max 4" pipes
- With leveling device

Art.nr.	Type	Ø Cap. mm	Kg	Price
852700005	SUJR.2S	79 mm	2,5	€ 995,-



TLZ 100V PORTABLE BANDSAW MACHINE

- Manual saw feed
- Mechanical saw blade tension
- Ball bearing saw guide
- Dry cutting, without coolant or oil
- Electronically adjustable speed 30 ~ 80 m / min with electronic feedback

Art.nr.	Ø Cap. mm	Sawblade	Motor	Kg	Price
667100027	90° Ø100mm 45° Ø65mm	1.330 x 13 x 0,65	0,85kW	18	€ 550,-



TLZ 125V PORTABLE BANDSAW MACHINE

- Manual saw feed
- Mechanical saw blade tension
- Ball bearing saw guide
- Dry cutting, without coolant or oil
- Electronically adjustable speed 30 ~ 80 m / min with electronic feedback

Art.nr.	Ø Cap. mm	Sawblade	Motor	Kg	Price
667100226	90° Ø125mm 45° Ø80mm	1.440 x 13 x 0,65	1kW	20	€ 600,-



TLZ 175V PORTABLE BANDSAW MACHINE

- Manual saw feed
- Mechanical saw blade tension
- Ball bearing saw guide
- Dry cutting, without coolant or oil
- Electronically adjustable speed 30 ~ 80 m / min with electronic feedback

Art.nr.	Ø Cap. mm	Sawblade	Motor	Kg	Price
667100028	90° Ø150mm 45° Ø100mm	1.735 x 13 x 0,65	1,5kW	30	€ 995,-



TLZ 200V PORTABLE BANDSAW MACHINE

- Manual saw feed
- Mechanical saw blade tension
- Ball bearing saw guide
- Dry cutting, without coolant or oil
- Electronically adjustable speed 30 ~ 80 m / min with electronic feedback

Art.nr.	Ø Cap. mm	Sawblade	Motor	Kg	Price
667100229	90° Ø170mm 45° Ø130mm	2.030 x 20 x 0,90	1,65kW	35	€ 1.240,-



Wisent band saw blades					
Length	Teeth per INCH				Price
	6/10	8/12	10/14	14/18	
1.330 x 13 x 0,65 mm	•	•	•	•	€ 22,70
1.440 x 13 x 0,65 mm	•	•	•	•	€ 23,90
1.735 x 13 x 0,65 mm	•	•	•	•	€ 25,55
2.030 x 20 x 0,90 mm	•	•	•	•	€ 30,55

BEVEL MILLING MACHINES



	EMB-0307B	ECB-0203	AMBL-0307	CB-01	CB-02	CBR-03	HB15-B
Max. milling cap. ALU mm	0 - 7C	0 - 3C	0 - 7C	0 - 1C	0 - 2C	0 - 3C	0 - 15C
ST40 mm	0 - 7C	0 - 3C	0 - 7C	0 - 1C	0 - 2C	0 - 3C	0 - 15C
RVS mm	0 - 3C	0 - 1,5C	-	-	-	-	-
Milling radius: ALU mm	2, 3 and 4R	2 and 3R	2, 3 and 4R	-	2R	3R	-
ST40 mm	2, 3 and 4R	2 and 3R	2, 3 and 4R	-	2R	3R	-
RVS mm	2 and 3R	2R	-	-	-	-	-
Angle adjustment	15° - 45°	45°	15° - 45°	45°	45°	45°	15° - 45°
Electric motor capacity	1.020 Watt	450 Watt	6bar/0,59Mpa	6bar/0,60Mpa	6bar/0,59Mpa	6bar/0,60Mpa	910 Watt
Voltage	230Volt - 1Ph	230Volt - 1Ph	air	air	air	air	230Volt - 1Ph
RPM	13.000	10.000	13.000	28.000	13.000	12.000	2.750
Weight	2,5 kg	2,5 kg	2,9 kg	0,5 kg	1,8 kg	2,2 kg	15 kg
Art.nr.	500100004	500100013	500100046	500100037	500100040	500100042	500100001
Price	€ 1.175,-	€ 780,-	€ 815,-	€ 575,-	€ 595,-	€ 1.445,-	€ 2.325,-

PNEUMATIC GRINDERS



	MYG-25	MYG-40	MYG-50
Wheel size	OD 58 mm (2.1/4")	OD 100 mm (4")	OD 125 mm (5")
Free speed (RPM)	19.000 min-1	13.000 min-1	11.000 min-1
Air Consumption (No load)	0.42 m³/min	0.5 m³/min	0.75 m³/min
Weight	0.6 kg	1.5 kg	2.5 kg
Art.nr.	502000300	502000302	502000306
Price	€ 350,-	€ 380,-	€ 585,-

PNEUMATIC DIE GRINDERS



	L-25B	AL-55	L-35C
Collet size	6 mm	3 mm	OD 100 mm (4")
Free speed (RPM)	27.000 min-1	56.500 min-1	13.000 min-1
Air Consumption (No load)	0.4 m³/min	0.17 m³/min	0.5 m³/min
Weight	0.6 kg (without hose)	0.27	1.5 kg
Art.nr.	502000202	502000200	502000204
Price	€ 315,-	€ 325,-	€ 380,-

WISENT

NITTO KOHKI



	SMD30	SMD35	CLA-2720	LO-3350	WOJ-3200	AO-5575A
Brand	WISENT	WISENT	NITTO	NITTO	NITTO	NITTO
Voltage	230Volt, 1Ph	230Volt, 1Ph	18Volt, 4.0 Ah	230Volt, 1Ph	230Volt, 1Ph	230Volt, 1Ph
Electric motor capacity	1.050 Watt	1.050 Watt	-	800 Watt	950 Watt	950 Watt
Feed	Manual	Manual	Manual	Manual	Manual	Manual
Drill capacity Ø mm	30	35	27	35	32	55
Drill depth mm	50	50	20	50	50	75
Magnet holding power	750 N(kgf)	750 N(kgf)	561	560	918	1020
Speed RPM	750	550/750	430	940	870	520
Coolant system	Yes	Yes	No	No	Yes	Yes
Weight	11 kg	14 kg	7 kg	9 kg	13 kg	17,5 kg
Art.nr.	602000030	602000035	500400728	500400729	500100154	500100164
Price	€ 560,-	€ 650,-	€ 1.795,-	€ 1.345,-	€ 1.110,-	€ 1.740,-

NITTO KOHKI



	WA-4000	WA-5500	QA-4000	QA-6500	ARA-100A
Brand	NITTO	NITTO	NITTO	NITTO	NITTO
Voltage	230Volt, 1Ph	230Volt, 1Ph	230Volt, 1Ph	230Volt, 1Ph	230Volt, 1Ph
Electric motor capacity	1010 Watt	1.040 Watt	680	1.010 Watt	1.800 Watt
Feed	Automatic	Automatic	Automatic	Automatic	Manual
Drill capacity Ø mm	40	55	40	65	100
Drill depth mm	50	75	35	50	75
Magnet holding power	720	1000	720	1000	1.733
Speed RPM	740	520	750	400/750	110~220 / 330~660
Coolant system	Yes	Yes	Yes	Yes	Yes
Weight	19 kg	22 kg	18,5 kg	26 kg	30 kg
Art.nr.	500100173	500100176	500100184	500100187	500100188
Price	€ 3.535,-	€ 3.650,-	€ 4.180,-	€ 4.525,-	€ 6.525,-

ACCESSOIRES



Keyed chuck
2 - 13 mm
Art.nr. 602010025
Price € 52,-



Magnet stick
Metal chips collector
Art.nr. 674300425
Price € 45,-




Drill chuck adapter
Weldon 19 mm - 1/2"
Art.nr. 602010030
Price € 42,-

CUTTERS

Tungsten Carbide quality core drills with Micro Grade cutting surface, high quality, long tool life, sharpenable, good chip removal, smooth finish, specially designed cutting surface, low priced, gives a perfect result

Core drills equipped with Weldon 19mm and "One-touch" recording, fit into the most common machines. Suitable for drilling in normal, alloy steel and difficult to cut materials.

WISENT cutters		
Type	Length	Ø mm
HSS 30L	30 mm	12 - 70
HSS 55L	55 mm	12 - 70
HM 35L	35 mm	12 - 52
HM 50L	50 mm	12 - 150
HM 75L	75 mm	12 - 70

	WISENT high speed steel cutters			WISENT hard metal cutters	
	Diameter mm	HSS 30L	HSS 55L	HM 35L	HM 50L
	Ø 12	€ 29,25	€ 39,15	€ 52,10	€ 71,25
	Ø 14	€ 29,25	€ 39,15	€ 52,10	€ 71,25
	Ø 15	€ 29,25	€ 39,15	€ 52,10	€ 71,25
	Ø 16	€ 29,25	€ 40,05	€ 52,10	€ 71,25
	Ø 17	€ 31,15	€ 41,30	€ 52,10	€ 71,25
	Ø 18	€ 32,70	€ 44,10	€ 55,40	€ 71,25
	Ø 20	€ 35,45	€ 46,75	€ 55,40	€ 71,25
	Ø 22	€ 38,55	€ 52,70	€ 58,85	€ 75,20
	Ø 24	€ 43,50	€ 55,20	€ 58,85	€ 75,20
	Ø 26	€ 47,20	€ 59,50	€ 61,00	€ 77,90
	Ø 28	€ 53,65	€ 66,55	€ 61,00	€ 77,90
	Ø 30	€ 58,00	€ 75,35	€ 61,00	€ 77,90



WISENT pilot pins					
Pilot pins	Price	HSS 30L	HSS 55L	HM 35L	HM 50L
4,75 x 75L	€ 10,40	Ø 12 - 13 mm			
6,35 x 75L	€ 10,40	Ø 14 - 80 mm			
4,75 x 100L	€ 11,95		Ø 12 - 13 mm		Ø 12 - 13 mm
6,35 x 100L	€ 11,95		Ø 14 - 80 mm		
4,75 x 85L	€ 13,20			Ø 12 - 13 mm	
7,1 x 91L	€ 13,20			Ø 14 - 15 mm	
8,0 x 91L	€ 13,20			Ø 16 - 52 mm	
6,35 x 112L	€ 14,90				Ø 14 - 17 mm
8,0 x 112L	€ 14,90				Ø 17,5 - 70 mm
8,0 x 138L	€ 32,75				Ø 71 - 150 mm

WISENT HSS cutter set HSS30L

Complete with pilot pins and cutters:

- 1 x 14 mm
- 1 x 16 mm
- 1 x 18 mm
- 1 x 20 mm
- 1 x 22 mm
- 1 x 24 mm

Art.nr. 602130101

Price € 172,-



WISENT TCT cutter set HM35L

Complete with pilot pins and cutters:

- 1 x 14 mm
- 1 x 16 mm
- 1 x 18 mm
- 1 x 20 mm
- 1 x 22 mm
- 1 x 24 mm

Artikelnr. 602130107

Price € 276,-





VICTOR PLASTIC HOSE/PIPE SHEAR

Suitable for almost all PVC, rubber vinylhoses and pipes up to Ø38 mm in which no steel is processed.

Type	VC28	Spare blade
Capacity Ø mm	38	-
Length mm	215	85
Weight	0,17 kg	0,05 kg
Article number	855600073	855600076
Price	€ 32,25	€ 8,85



UNIVERSAL PIPE CUTTER

Equipped with HSS cutting wheels type Z1906U. With 4 rollers. Complete with deburrer. Suitable for copper, steel, stainless steel and aluminium

Type	TC-105NF	TC-107F
Capacity Ø mm	8 - 32	8 - 42
Full length mm	126,5	165
Weight	0,24 kg	0,45 kg
Article number	854901027	854900559
Price	€ 50,10 € 35,-	€ 75,- € 48,50



BALL BEARING PIPE CUTTER

REX coated cutting wheels and guide rollers. Type of cutting wheels Z1906U. Cuts very softly. Suitable for steel and stainless steel.

Type	N30S	N42S	N67S
Capacity Ø mm	4 - 32	6 - 43	6 - 70
Wall thickness ± mm	4	4	4
Weight	0,35 kg	0,44 kg	1,05 kg
Article number	854500928	854500931	854500934
Price	€ 74,-	€ 93,-	€ 140,-



RATCHET PIPE CUTTER

Suitable for copper, steel, stainless steel and aluminum. With built-in ratchet mechanism. Automatic feed. Cuts very softly.


Type	PCR3-35	PCR3-66
Capacity Ø mm	16 - 35	35 - 66
Wall thickness ± mm	4	4
Weight	0,96 kg	1,65 kg
Article number	851900013	851900016
Price	€ 340,-	€ 395,-



RATCHET SOCKET WRENCHES

Switchable ratchet with 2-way wrench sizes and centering point.

Type	Article number	Length mm	Weight	Capacity Ø mm	Price
RN1013	854900004	225	0,16 kg	10 x 13	€ 43,45
RN1317	854900013	265	0,24 kg	13 x 17	€ 45,60
RN1719	854900025	310	0,40 kg	17 x 19	€ 50,70
RN1721	854900028	310	0,40 kg	17 x 21	€ 50,70
RN1922	854900040	310	0,43 kg	19 x 22	€ 57,65
RN1924	854900043	355	0,68 kg	19 x 24	€ 58,30
RN2430	854900070	400	1,08 kg	24 x 30	€ 73,15
RN2730	854900076	400	1,08 kg	27 x 30	€ 77,20
RN2732	854900079	400	1,08 kg	27 x 32	€ 77,20
RN3032	854900082	400	1,08 kg	30 x 32	€ 81,25
RN3036	854900085	455	1,40 kg	30 x 36	€ 88,30



Portable drilling pipe support SUJR.2S **€ 995,-**
Art. 852700005

REX pipe vice V1 **€ 95,-**
Art. 854501156

Pipe center punch PCG3 **€ 115,-**
Art. 851300013

Pipe center punch PCG1 **€ 165,-**
Art. 851300001

BLU-MOL HOLE SAWS



Electricians 593 set **€ 90,-**

Diameter: 22, 29, 35, 44, 51, 64
Article number: 190100514



Workshop 596 set **€ 125,-**

Diameter: 19, 22, 29, 35, 38, 44, 51, 57, 64
Article number: 190100523



Industry 599 set **€ 315,-**

Diameter: 19, 22, 28, 35, 38, 44, 51, 57, 63, 76, 82, 92, 95, 105, 114
Article number: 190100526



PORTABLE DOUBLE-ACTION HYDRAULIC PUNCHERS

- Large capacity portable puncher
- Suitable for steel and stainless steel (anti-vibration)
- Double acting
- Fast, safe and quiet
- Easily movable
- Centering device, automatic punching cycle



Price complete with:
NITTO puncher, Hose set of 5 meter, aggregate and punch + die Ø22 mm

**Puncher HS11-1624
+ pump HA14B (fast)**

€ 7.800,-



**Puncher HS11-1624
+ pump HPD05**

€ 6.150,-



Portable hydraulic punch units

Type	Max. punch capacity	Max. punch thickness	Max. throat depth	Max. pressure kgf/cm	Max. output kN	Ram stroke mm	Cycle time with HA14B	Cycle time with HPD05	Weight Sefler kg	Article nr. set
HS06-1322	22 mm	13 mm	60 mm	700	367	21	7 sec	12 sec	20,5	500100115
HS07-1624	26 mm	16 mm	70 mm	700	464	25	7 sec	18 sec	25,5	500100112
HS11-1624	26 mm	16 mm	110 mm	700	464	25	7 sec	18 sec	30	500100109

PUNCHES AND DIES

Round punches and dies available from Ø8 to Ø26 mm.
Oblong hole punches and dies available up to 25x18mm.
For 25 and 26 mm punches separate intake is required.



Round punches

Round dies

Diameter	Round punches		Round dies	
	NITTO punch	WISENT punch	NITTO dies	WISENT dies
Ø 8	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 10	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 12	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 14	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 15	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 16	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 18	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 20	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 22	€ 62,30	€ 35,85	€ 47,60	€ 44,20
Ø 24	€ 62,30	€ 35,85	€ 47,60	€ 44,20


ACCESSORIES NITTO PUNCH UNITS

NITTO balancers

Type	Capacity kg	Suitable for :	Article nr.	Price
TW22	15 ~ 22	HS06-1322	5003000001	€ 315,00
TW30	22 ~ 30	HS07-1624	5003000004	€ 330,00
TW40	30 ~ 40	HS11-1624	5003000006	€ 430,00



Hook Clamp Ass'y



NITTO hook clamp


Type	Description	Article nr.	Price
TB02142	Hook clamp for HS series	5003000050	€ 235,00



HS11-1624 SET PORTABLE HYDRAULIC PUNCH UNIT

- Large capacity portable puncher
- Suitable for steel and stainless steel (anti-vibration)
- Double acting
- Fast, safe and quiet
- Easily movable
- Centering device, automatic punching cycle

Price complete with:
NITTO puncher, Hose set of 5 meter, aggregate and punch + die Ø22 mm



HS11-1624 Set

- NITTO puncher
- 5 meter hose set
- Aggregate
- Punch + Die

€ 7.800,-

Inclusive options:

- Balancer
- Suspension bracket

€ 8.465,-

Cycle time at maximum capacity 7 seconds

NITTO PUNCHER TYPE HS11-1624	
Max. throat depth mm	110
Max. punch cap. Ø mm	26
Max. punch thickness mm	16
Max. pressure kgf/cm2	700
Max. output kN	464
Ram stroke mm	25
Cycle time with HA14B sec.	7
Weight	30 kg
Art.nr complete with HA14B	500100109





Wisent pipe bender 90° with roller standard radius							
for thin-walled Hvac pipes							
Capacity Ø	10 mm	12 mm	15 mm	18 mm	20 mm	22 mm	28 mm
Bending radius Ø	43 mm	43 mm	60 mm	74 mm	87 mm	87 mm	95 mm
Length	460 mm	460 mm	600 mm	860 mm	900 mm	900 mm	1050 mm
Weight	1,40 kg	1,50 kg	2,30 kg	3,20 kg	4,30 kg	4,50 kg	5,70 kg
Art.nr.	115200004	115200013	115200022	115200034	115200043	115200049	115200067*
Price	€ 57,40	€ 58,30	€ 68,30	€ 121,-	€ 121,-	€ 107,-	€ 163,-

*With two rollers



90° with roller short radius			
for thin-walled Hvac pipes			
	12 mm	15 mm	22 mm
	30 mm	45 mm	75 mm
	440 mm	600 mm	900 mm
	1,50 kg	2,20 kg	4,00 kg
	115200079	115200088	115200097
	€ 65,-	€ 86,-	€ 136,-



Wisent pipe bender 90° with slider standard radius							
Suitable for copper pipes							
Capacity Ø	10 mm	12 mm	15 mm	18 mm	20 mm	22 mm	28 mm
Bending radius Ø	43 mm	43 mm	60 mm	74 mm	87 mm	87 mm	95 mm
Length	460 mm	460 mm	600 mm	860 mm	900 mm	900 mm	1050 mm
Weight	1,40 kg	1,50 kg	2,30 kg	3,20 kg	4,30 kg	4,50 kg	5,70 kg
Art.nr.	115200007*	115200010*	115200019*	115200031	11500040	115200046	115200064
Price	€ 57,40	€ 58,30	€ 68,30	€ 121,-	€ 121,-	€ 107,-	€ 163,-

*10 suitable for WICU pipe Ø 6 mm (10/6) *12 mm 12 mm suitable for WICU pipe Ø 8 mm (10/6) *15 mm suitable for WICU pipe Ø 12 mm



90° with slider short radius				
Suitable for copper pipes				
	10 mm	12 mm	15 mm	22 mm
	30 mm	30 mm	45 mm	75 mm
	440 mm	440 mm	600 mm	900 mm
	1,30 kg	1,60 kg	2,40 kg	4,10 kg
	115200070	115200076	115200091	115200100
	€ 65,-	€ 65,-	€ 86,-	€ 136,-



Wisent pipe bender 90° with slider						
Suitable for WICU pipes * Large with WICU sheathing/large pipes						
Capacity Ø	14 / 10	16 / 12	19 / 15	23 / 18	26 / 22	27 / 22
Bending radius Ø	60 mm	60 mm	75 mm	87 mm	95 mm	95 mm
Length	580 mm	600 mm	830 mm	830 mm	960 mm	980 mm
Weight	2,20 kg	2,20 kg	4,10 kg	6,90 kg	6,90 kg	6,90 kg
Art.nr.	115200016	115200025	115200037	115200052	115200055*	115200058
Price	€ 80,-	€ 107,-	€ 121,-	€ 121,-	€ 176,-	€ 196,-

*Suitable for imitation WICU pipe



90° with slider, extra short radius		
Suitable for thin walled hvac pipes		
	15 mm	22 mm
	30 mm	52 mm
	600 mm	900 mm
	2,20 kg	4,10 kg
	115200085	115200094
	€ 80,-	€ 151,-



Wisent pipe bender 90° with roller						
Suitable for multilayer pipes, short length						
Capacity Ø	14 mm	16 mm	18 mm	20 mm	25 mm	32 mm
Bending radius Ø	43 mm	43 mm	51 mm	62 mm	74 mm	108 mm
Length	300 mm	330 mm	450 mm	450 mm	470 mm	620 mm
Weight	1,40 kg	1,40 kg	1,70 kg	2,00 kg	2,00 kg	3,70 kg
Art.nr.	115200103	115200106	115200109	115200112	115200115	115200118
Price	€ 72,-	€ 72,-	€ 84,-	€ 93,-	€ 105,-	€ 146,-



Mini pipe bender 90° with roller	
Suitable for copper and thin walled Hvac	
	10 mm
	30 mm
	240 mm
	0,60 kg
	115200001
	€ 62,95



HY ADJUSTABLE WRENCH WIDE SHORT

Article number	Type	Capacity	Weight	Price
855300007	HY26S	7-26 mm	0.1 kg	€ 32,10
855300010	HY30S	8-30 mm	0.16 kg	€ 32,15
855300013	HY38S	8-38 mm	0.22 kg	€ 43,90
855300016	HY49S	12-49 mm	0.45 kg	€ 53,90



BW BELT WRENCH

Article number	Type	Capacity	Weight	Price
854900328	BW2	2 1/2"	0.3 kg	€ 71,45
854900331	BW2L	10"	0.4 kg	€ 120,00
854900334	BW5	6"	0.8 kg	€ 125,00
854900337	BW5L	12"	0.9 kg	€ 165,00



GRW GEAR WRENCH

Article number	Type	Size	Material	Price
854900874	GRW8	8	Special Alloy Steel	€ 7,80
854900877	GRW10	10	Special Alloy Steel	€ 9,05
854900880	GRW12	12	Special Alloy Steel	€ 10,10
854900883	GRW13	13	Special Alloy Steel	€ 10,70
854900886	GRW14	14	Special Alloy Steel	€ 11,15
854900889	GRW15	15	Special Alloy Steel	€ 11,15
854900892	GRW17	17	Special Alloy Steel	€ 13,70
854900895	GRW19	19	Special Alloy Steel	€ 15,45
854900898	GRW21	21	Special Alloy Steel	€ 15,45
854900901	GRW22	22	Special Alloy Steel	€ 16,85
854900904	GRW24	24	Special Alloy Steel	€ 20,20



GRW GEAR WRENCH FLEX

Article number	Type	Size	Material	Price
854900907	GRW8F	8	Special Alloy Steel	€ 10,00
854900910	GRW10F	10	Special Alloy Steel	€ 11,15
854900913	GRW12F	12	Special Alloy Steel	€ 12,55
854900916	GRW13F	13	Special Alloy Steel	€ 13,25
854900919	GRW14F	14	Special Alloy Steel	€ 14,55
854900922	GRW15F	15	Special Alloy Steel	€ 14,55
854900925	GRW17F	17	Special Alloy Steel	€ 17,20
854900928	GRW19F	19	Special Alloy Steel	€ 20,20
854900931	GRW21F	21	Special Alloy Steel	€ 20,40
854900934	GRW22F	22	Special Alloy Steel	€ 22,65
854900937	GRW24F	24	Special Alloy Steel	€ 27,00

TIP



FUJIYA SP26 SCREW PLIERS

Article number	Type	Capacity	Weight	Price
851100013	SP26-175	2-6 mm	0.16 kg	€ 20,95

The problem solver: loosens broken and rusty screws. Essential in every toolbox. Made in Japan.

KW TOOLS



WH-250 SOFT JAW PLIERS

Article number	Type	Capacity	Weight	Price
851600004	WH-250	40 mm	0,37 kg	€ 15,90



SPC CORNER PIPE WRENCH S-JAW

Article number	Type	Ø Cap	Length	Weight	Price
852400154	SPC1	1"	340 mm	0,8 kg	€ 23,70
852400157	SPC1.5	1.1/2"	430 mm	1,3 kg	€ 34,60
852400160	SPC2	2"	560 mm	2,3 kg	€ 53,25
852400163	SPC3	3"	630 mm	3,1 kg	€ 99,10



WS WATER PUMP PLIERS

Article number	Type	Ø Cap	Length	Weight	Price
852400166	WS07	10-24	175 mm	0,17 kg	€ 10,00
852400169	WS10	10-36	250 mm	0,28 kg	€ 12,70
852400172	WS12	10-48	300 mm	0,46 kg	€ 16,65



Price

€ 57,25



Price

€ 32,25

SET OF WATER PUMP PLIER + SWEDISH PIPE WRENCHES

Pipe plier set WS10 + SPC1+SPC1,5
Art.nr. 852400175

SET WATER PUMP PLIERS

Water pump plier set WS07+WS10+WS12
Art.nr. 852400178

KW TOOLS B.V.

Van Utrechtweg 20
2921 LN Krimpen a/d IJssel
The Netherlands
Phone: +31 (0)180 – 519 091
<https://kwtools.com>
E-mail: info@kwtools.com

DEALER